

NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 http://weather.gov/tampa

September 2016 Ends Up Being One of the Warmest September's On Record and One of the Top Ten Wettest in a Few Locations


For the seventh month in a row most of the region has seen temperatures averaging above normal. For September 2016 most locations ended up 1 to 3 degrees above normal which placed many in the Top Ten Warmest September's since records began as seen in the table below.

SEPTEMBER TEMPERATURE (deg F):

Location	Sept 20 Rank A	16 vg Temp	Normal Sept Temp	Departure fm Normal
Archbold Bio Stn	1st	82.3	79.7	+2.6
Chiefland 5 SE	1st(tie)	81.0	77.8	+3.2
Plant City	1st	82.9	80.3	+2.6
Punta Gorda 4 ESE	1st	84.3	81.9	+2.4
Sarasota-Bradenton	1st	83.9	81.4	+2.5
Tampa	1st	83.8	81.7	+2.1
Lakeland	2nd(tie)	82.9	80.2	+2.7
Winter Haven	3rd	82.9	81.5	+1.4
Inverness 3 SE	8th(tie)	81.1	79.4	+1.7
Venice	9th)tie)	82.4	81.0	+1.4

Rainfall on the other hand was highly variable with areas near the coast from the Tampa Bay area northward receiving heavy rainfall early in the month thanks to Hermine. Otherwise, the showers and thunderstorms were generally scattered in nature with amounts for the month varying widely across the region from as little as 4 inches to over 15 inches.

Contact: Paul Close, Paul.Close@noaa.gov Date: 10/4/2016



In the table below is the list of locations available so far

that ended up in the Top Ten Wettest for September.

SEPTEMBER RAINFALL (inches):

	Sej	pt 2016	Normal Sept	Departure
Location	Rank	Rain Total	Rainfall	fm Normal
Inverness 3 E	1st	16.73	6.00	+10.73
Archbold Bio Stn	2nd	12.78	6.46	+6.32
Brooksville Area	9th	13.33	6.56	+6.77

On the following pages are tables of the Top Ten Warmest and Top Ten Wettest/Driest September's for some sites across the region, along with the September 2016 average/totals, and the 1981 to 2010 Normals.

CHIEFLAND 5 SE (records began in June 1956):

Normal Temperature for September at CHIF1 = 77.8 Normal Rainfall for September at CHIF1 = 6.89

INVERNESS 3 SE (records began in July 1948):

War	mest Septe	ember's	Wettest September's				Driest September's				
1	82.3 in 1	L954	1	16.73	in	2016	1	0.76	in	1961	
2	82.2 in 1	1958	2	16.54	in	1950	2	1.07	in	2008	
3	82.0 in 1	1970	3	16.27	in	2004	3	1.21	in	1967	
4	81.8 in 1	1974	4	15.67	in	2001	4	1.25	in	1972	
5	81.7 in 2	2010	5	15.24	in	1960	5	1.74	in	1954	
6	81.4 in 2	2009	6	13.15	in	1979	6	1.76	in	2012	
7	81.2 in 1	1977	7	12.23	in	1982	7	1.80	in	1990	
8	81.1 in 2	2016	8	11.92	in	1964	8	1.96	in	1996	
	81.1 in 1	1965	9	10.89	in	1988	9	2.04	in	2005	
	81.1 in 1	1951 1	0	9.09	in	1973	10	2.10	in	1978	

Normal Temperature for September at INVF1 = 79.4 Normal Rainfall for September at INVF1 = 6.00

BROOKSVILLE AREA (records began in January 1892):

Normal Temperature for September at BKV = 79.3 Normal Rainfall for September at BKV = 6.56

ST LEO (records began in April 1895):

Warı	mest S	Sept	tember'	s We	ttest S	Sept	cember'	s Dr	iest Se	epte	ember's
1	83.5	in	1925	1	17.44	in	2004	1	0.75	in	1990
2	82.5	in	2002	2	17.38	in	1929	2	1.17	in	1972
3	82.3	in	1900	3	17.03	in	1950	3	1.21	in	1978
4	82.2	in	2009	4	16.81	in	1912	4	1.76	in	1995
5	82.0	in	1944	5	16.52	in	1960	5	1.97	in	2008
6	81.9	in	2008	6	15.07	in	1935	6	2.05	in	1991
	81.9	in	2007	7	15.01	in	1933	7	2.10	in	1910
8	81.8	in	2005	8	14.93	in	1949	8	2.24	in	1911
	81.8	in	1958	9	14.70	in	1953	9	2.41	in	2010
	81.8	in	1951	10	13.33	in	1982	10	2.58	in	1909
86	79.4	in	2016	16	11.94	in	2016	104	11.94	in	2016

Normal Temperature for September at STLF1 = 80.9 Normal Rainfall for September at STLF1 = 6.81

TARPON SPRINGS (records began in January 1892):

Normal Temperature for September at TRPF1 = 80.2 Normal Rainfall for September at TRPF1 = 6.99

TAMPA AREA (records began in April 1890):

Normal Temperature for September at TPA = 81.7 Normal Rainfall for September at TPA = 6.30

ST PETERSBURG (records began in August 1914):

Normal Temperature for September at SPG = 82.3 Normal Rainfall for September at SPG = 7.76

PLANT CITY (records began in September 1892):

Warr	mest September	a's We	ttest Se	eptember's	Dri	est Sep	tember's
1	82.9 in 2016	1	18.43 i	n 1894	1	0.71 i	n 1972
2	81.8 in 1958	2	18.21 i	n 2004	2	0.75 i	n 1909
	81.8 in 1951	3	17.09 i	n 1947	3	0.97 i	n 1915
4	81.7 in 1974	4	16.77 i	n 1998	4	1.12 i	n 1991
	81.7 in 1970	5	15.42 i	n 1988	5	1.26 i	n 1961
6	81.6 in 2010	6	15.12 i	n 1960	6	1.27 i	n 1937
	81.6 in 1977	7	14.75 i	n 1933	7	1.50 i	n 1911
	81.6 in 1925	8	14.20 i	n 1979	8	1.64 i	n 1990
9	81.5 in 2009	9	13.38 i	n 1912	9	2.15 i	n 1978
	81.5 in 2007	10	12.49 i	n 1929		2.15 i	n 1967
	81.5 in 2002						
	81.5 in 1944	27	9.29 i	n 2016	89	9.29 i	n 2016

Normal Temperature for September at PLCF1 = 80.3 Normal Rainfall for September at PLCF1 = 7.09

LAKELAND (records began in January 1915):

Normal Temperature for September at LLDF1 = 80.2 Normal Rainfall for September at LLDF1 = 7.44

WINTER HAVEN AREA (records began in January 1941):

Warn	nest S	Sept	tember's	s Wet	ttest S	Sept	tember's	s Dri	est Se	epte	ember's
1	84.0	in	1989	1	19.34	in	1998	1	1.08	in	2008
2	83.2	in	1991	2	17.26	in	1960	2	1.10	in	1972
3	82.9	in	2016	3	14.79	in	2001	3	1.22	in	1961
4	82.6	in	2002	4	13.46	in	1948	4	1.61	in	2005
	82.6	in	1951	5	13.69	in	1946	5	1.96	in	2015
6	82.5	in	2010	6	12.84	in	2014		1.96	in	1952
	82.5	in	2007	7	12.83	in	1947	7	2.16	in	1990
	82.5	in	1995	8	12.47	in	1979	8	2.33	in	2009
9	82.4	in	2005	9	11.32	in	1987	9	2.35	in	2006
	82.4	in	1986	10	10.51	in	1950	10	2.47	in	1944
	82.4	in	1944								
				45	4.50	in	2016	28	4.50	in	2016
						in	1970			in	1970

Normal Temperature for September at GIF = 81.5 Normal Rainfall for September at GIF = 6.25

BARTOW (records began in June 1892):

Normal Temperature for September at BARF1 = 81.4 Normal Rainfall for September at BARF1 = 6.55

SARASOTA-BRADENTON (records began in January 1911):

Warn	mest September's	Wet	ttest S	Sept	tember's	Driest September's			
1	83.9 in 2016	1	21.16	in	1962	1	1.07 in 2005		
2	82.7 in 2007	2	19.14	in	1953	2	1.17 in 2010		
3	82.5 in 1925	3	17.31	in	1928	3	1.94 in 2012		
4	82.3 in 2010	4	16.92	in	1929	4	2.02 in 1945		
	82.3 in 2009	5	16.65	in	1912	5	2.27 in 1921		
	82.3 in 2005	6	15.86	in	1926	6	2.33 in 1984		
	82.3 in 1989	7	15.65	in	1960	7	2.37 in 1944		
8	82.2 in 2011	8	15.57	in	1988	8	2.41 in 1972		
	82.2 in 2002	9	14.50	in	1979	9	2.74 in 1991		
	82.2 in 1991	10	13.40	in	1989	10	2.85 in 1915		
	82.2 in 1990								
		68	5.48	in	2016	39	5.48 in 2016		

Normal Temperature for September at SRQ = 81.4Normal Rainfall for September at SRQ = 7.10

VENICE (records began in April 1955):

Normal Temperature for September at VNCF1 = 81.0 Normal Rainfall for September at VNCF1 = 6.93

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Warmest September's				Wet	ttest S	Sept	tember's	Dri	Driest September's			
1	82.6	in	2009	1	22.49	in	1962	1	1.48	in	2005	
2	82.5	in	2010	2	21.08	in	1979	2	2.29	in	1972	
	82.5	in	1991	3	18.10	in	2001	3	2.36	in	1961	
4	82.3	in	2015	4	14.65	in	2014	4	2.40	in	1986	
	82.3	in	1998	5	14.04	in	1960	5	2.65	in	2008	
	82.3	in	1990	6	12.82	in	1957	6	2.74	in	1990	
7	82.2	in	2002	7	12.42	in	1995	7	3.76	in	1991	
	82.2	in	1996	8	11.98	in	1982	8	4.19	in	1984	
	82.2	in	1993	9	11.96	in	1994	9	4.24	in	1966	
10	82.1	in	1997	10	11.77	in	2006	10	4.33	in	1993	
	82.1	in	1979									

Average Temperature for September 2016 = Not Available Yet Normal Temperature for September at MKCF1 = 81.1

Total Rainfall for September 2016 = Not Available Yet Normal Rainfall for September at MKCF1 = 7.91

WAUCHULA 2 N (records began in January 1933):

Normal Temperature for September at WAUF1 = 82.1 Normal Rainfall for September at WAUF1 = 6.09

ARCADIA (records began in January 1899):

Warr	mest Sept	tember's	Wet	test S	Sept	tember's	Drie	est September's
1	81.8 in	1905	1	17.71	in	1940	1	1.40 in 1961
2	81.7 in	1974	2	17.05	in	1960	2	2.02 in 1925
	81.7 in	1933	3	15.67	in	1908	3	2.05 in 1909
	81.7 in	1925	4	15.66	in	1930	4	2.24 in 1980
	81.7 in	1902	5	14.81	in	1929	5	2.39 in 1972
6	81.6 in	1912	6	14.67	in	2001	6	2.44 in 1911
7	81.5 in	2011	7	13.74	in	1979	7	2.60 in 1990
	81.5 in	1991	8	13.30	in	2003	8	2.75 in 1932
	81.5 in	1944		13.30	in	1962	9	2.98 in 1996
	81.5 in	1900	10	13.24	in	1949	10	3.16 in 1913

Average Temperature for September 2016 = Not Available Yet Normal Temperature for September at ARCF1 = 80.2

Total Rainfall for September 2016 = Not Available Yet Normal Rainfall for September at ARCF1 = 7.28

ARCHBOLD BIO STN (records began in January 1969):

Warmest September's Wettest September's Driest September's

Normal Temperature for September at ACHF1 = 79.7 Normal Rainfall for September at ACHF1 = 6.46

PUNTA GORDA 4 ESE (records began in May 1914):

Warmest September's			ttest S	tember's	Dri	Driest September's			
1	84.3 in 2016	1	17.09	in	1959	1	1.23	in	1978
2	84.2 in 1951	2	16.54	in	1929	2	2.94	in	1952
3	83.3 in 2002	3	16.47	in	1962	3	3.33	in	1990
4	83.0 in 2015	4	16.13	in	1947	4	3.36	in	1991
	83.0 in 2009	5	14.86	in	1935	5	3.44	in	1987
	83.0 in 1988	6	14.39	in	2003	6	3.65	in	2008
7	82.8 in 1986	7	14.15	in	1928	7	3.71	in	1972
8	82.7 in 1933	8	14.03	in	1979	8	3.74	in	1986
9	82.6 in 1989	9	13.77	in	1926	9	3.76	in	1965
10	82.5 in 2010	10	13.43	in	1922	10	3.81	in	1927
	82.5 in 1944								
		28	9.55	in	2016	75	9.55	in	2016

Normal Temperature for September at PNTF1 = 81.9 Normal Rainfall for September at PNTF1 = 6.84

FORT MYERS AREA (records began in January 1902):

Normal Temperature for September at FMY = 82.4Normal Rainfall for September at FMY = 8.31

For more local climate information, please visit our web page at http://weather.gov/tampabay and look within the "Climate and Past Weather" drop down menu above the map of the area.

Date: 10/4/2016